



Hygienic Laboratory Klatovy
Pod Nemocnicí 683, 339 01 Klatovy
Czech Republic

Test Report No. 26337/2023



Page No.: 1
Suma pages: 1

Client: Votamax s.r.o.
Hladnovská 83/93
712 00 Ostrava

Analyzed material: dietary supplement

Date of receipt: 18.12.2023
Date of Performance of the Test: 18.12.2023 - 29.1.2024
Sampling carried out by: client
Date of sampling: 14.12.2023

Sample No.	Description of Tested Item				
38875	BRAINMAX SLEEP MAGNESIUM, dietary supplement				
Parameter	Units of Measur.	Sample No: 38875	Uncert. of meas.	Test method identification SOP	Akr.
Mg	mg/tbl.	174,9	20%	ICP 04B:ČSN EN ISO 11885,ČSN 56 0065 (1)	A

Note:

The results of the analyzes relate to the sample as received.

The information given in the sample description was obtained from the customer. Testing Laboratory is not responsible for it.

Number at the test method identifies the Working Site carrying out the test: 1-Testing Laboratory Brno, Polní 23/340, 639 00 Brno;
2-Testing Laboratory Paskov, Rudé armády 637,739 21 Paskov; 4-Hygienic Laboratory Klatovy, Pod Nemocnicí 683,339 01 Klatovy,
5 - Laboratory ÚNS Kutná Hora, Vítězná 422, 284 03 Kutná Hora.

The Uncertainty of Measurement is defined as a extended uncertainty on significance level 95 % with coefficient of expansion $k=2$. Uncertainty is expressed in accordance with ILAC G-17 and does not include the uncertainty of sampling procedure.

Abbreviation in column "Akr." means: A - in the scope of accreditation, N - outside the scope of accreditation, SA - test made by subcontractor

The results refer only to the tested items. The test report shall not be reproductive except in full, without written approval of the laboratory. The test report does not substitute the decision of regulatory or supervising authorities.

Date of issue:
9.4.2025



Ing. Hana Nebeská
Deputy laboratory manager

end of protocol